

INDEX MAPS.

T. 21N, R. 7 E. 2nd Mer.

	137		137		137		137		136		136	
139	6	158	5	153	4	150	3	146	2	143	1	136
	158		157		153		149		146		143	
139	7	157	8	153	9	149	10	146	11	142	12	135
	157		156		152		149		146		142	
139	18	156	17	152	16	149	15	145	14	142	13	135
	156		155		152		148		145		141	
138	19	155	20	151	21	148	22	145	23	141	24	135
	155		155		151		148		144		141	
138	30	154	29	151	28	147	27	144	26	140	25	134
	154		154		150		147		144		140	
138	31	153	32	150	33	147	34	143	35	140	36	134
	134		134		133		133		133		133	

T. 22N, R. 7 E. 2nd Mer.

					164	164	164					
	6	5	4	3	172	2	168	1 163				
					172	172	168					
	7	8	9	10	172	11	167	12 163				
					171	171	167					
	18	17	16	15	171	14	167	13 163				
					170	170	166					
	19	20	21	22	170	23	166	24 163				
					169	169	166					
	30	29	28	27	169	26	166	25 162				
		175		173								
		175	174	174	173	168	165					
165	31	174	32	174	33	173	34	168	35	165	36	162
	162		162		161		161		161		161	

The figures on the lines refer to the page.

Township Lines.

Chs. Lks South Boundary. Var. 6.15 E.
West on the S. Boundary of Sec. 36

40.00 set of sec. post from which

a Beech 12 in. dia. bears N 3 E 12 Ws. dist. 8

a Do 8 " " " South 11 " "

80.00 set part cor. of sec. 35 & 36 from which

an Ash 12 in. dia. bears N 80 W 13 Ws. dist. 8

a Beech 10 " " " N 8 W 19 " "

Rich land, Timber Beech, Sugar, Ash & Spice

West on the S. Boundary of Sec. 35

40.00 set of sec. post from which

a W. Oak 24 in. dia. bears S 56 E 9 Ws. dist. 8

a Beech 8 " " " N 69 W 15 " "

80.00 set part cor. of sec. 34 & 35 from which

a Beech 24 in. dia. bears S 25 W 16 Ws. dist. 8

a Do 24 " " " N 35 E 6 " "

Land &c name as last described.

West on the S. Boundary of Sec. 34

40.00 set of sec. post from which

a R. Oak 18 in. dia. bears S 47 E 7 Ws. dist. 8

a Beech 8 " " " N 47 W 7 " "

80.00 set part cor. of sec. 33 & 34 from which

a Beech 8 in. dia. bears N 73 W 6 Ws. dist. 8

a Do 8 " " " N 60 E 15 " "

Land &c name as last described.

West on the S. Boundary of Sec. 33

40.00 set of sec. post from which

an Ash 12 in. dia. bears S 86 W 14 Ws. dist. 8

a Beech 10 " " " S 38 E 9 " "

80.00 set part cor. of sec. 32 & 33 from which

an Elm 10 in. dia. bears S 43 W 6 Ws. dist. 8

an Ash 12 " " " N 15 E 13 " "

T. 22 N., R. 7 E. S. Mer. Ind.^a
 Exp. Ind.

Land &c same as last described.

West on the S. Boundary of Sec. 32

40.00 set of sec. port from which
 a Hickory 18 in. dia. bears South 10 W. dist. 3
 a Beech 8 " " " N 76 E 22 " "

80.00 set port cor. of sec. 31 & 32 from which
 a Hickory 10 in. dia. bears N 76 E 8 W. dist. 3
 an Ash 10 " " " S 36 W 9 " "
 Land &c same as last described.

West on the S. Boundary of Sec. 31

40.00 set of sec. port from which
 a Hickory 30 in. dia. bears N 36 W 7 W. dist. 3
 a Beech 12 " " " S 37 W 25 " "
 78.00 Intersect W. Boundary 150 Ch. S. of temp. port-
 set port cor. of T. 21 & 22 N., R. 6 & 7 E. from which
 a W. Oak 10 in. dia. bears S 27 E 5 W. dist. 3
 an Ash 10 " " " N 48 W 15 " "
 (Description of land &c omitted.)

East Boundary. Var. E. 60. E.

North on the E. Boundary of Sec. 36

40.00 set of sec. port from which
 an Ash 18 in. dia. bears N 79 W 12 W. dist. 3
 a Dogwood 6 " " " N 48 E 9 " "

69.50 a Creek 25 W. wide course SW

80.00 set port cor. of sec. 25 & 36 from which
 a Beech 24 in. dia. bears S 45 E 26 W. dist. 3
 a Ash 12 " " " N 65 W 28 " "
 Rich land. Timber Beech, Sugar, Ash, Spice

North on the E. Boundary of Sec. 25

20.65 a Beech 24 in. dia.

40.00 set of sec. port from which
 a Hickory 8 in. dia. bears S 13 W 19 W. dist. 3

T. 22 N., R. 7 E. 2. Mer. Ind. a
Chr. 10.

a Buckeye 8 in. dia. bears N 20 E 3 Ms. dist.
 80.00 set part cor. of sec. 24 & 25 from which
 a Hickory 24 in. dia. bears S 44 E 5 Ms. dist. &
 a Beech 10 " " " N 20 W 24 " "
 Land &c. same as last described.

North on the E. Boundary of Sec. 24

40.00 set of sec. part from which
 a Beech 10 in. dia. bears S 31 E 18 Ms. dist. &
 a Do 10 " " " N 50 W 20 " "
 80.00 set part cor. of sec. 13 & 24 from which
 a Sugar 36 in. dia. bears S 20 E 25 Ms. dist. &
 a Beech 10 " " " N 79 W 14 " "
 Land &c. same as last described.

North on the E. Boundary of Sec. 13

40.00 set of sec. part from which
 a Dogwood 10 in. dia. bears S 37 W 28 Ms. dist. &
 a Sugar 12 " " " East 18 " "
 80.00 set part cor. of sec. 12 & 13 from which
 a Sugar 6 in. dia. bears S 36 E 7 Ms. dist. &
 a Hickory 18 " " " N 30 E 13 " "
 Land &c. same as last described.

North on the E. Boundary of Sec. 12

40.00 set of sec. part from which
 a Hickory 12 in. dia. bears N 7 E 13 Ms. dist. &
 an Ironwood 8 " " " S 86 W 13 " "
 80.00 set part cor. of sec. 1 & 12 from which
 a Hickory 24 in. dia. bears S 26 W 30 Ms. dist. &
 a Do 18 " " " N 60 E 16 " "
 Land &c. same as last described.

North on the E. Boundary of Sec. 1

40.00 set of sec. part from which
 an Ash 12 in. dia. bears S 29 W 11 Ms. dist. &

T. 22 N., R. 7 E. 2. Mer. Ind.?

Chr. Spr.

a Hickory 8 in. dia. bears S 50 E 5 Ws. dist.
77.15 to part cor. of T. 22 & 23 N., R. 7 & 8 E. from which
an W. Ash 10 in. dia. bears S 44 E 13 Ws. dist. &

— 12 " " " S 89 W 23 " "

Land &c same as last described.

January 3. 1820

North Boundary.

West on the S. Boundary of Sec. 36, T 23 N., R 7 E

40.00 set of sec. post from which

an Elm 6 in. dia. bears S 77 E 12 Ws. dist. &

a Do 14 " " " N 36 W 11 " "

80.00 set part cor. of sec. 35 & 36 from which

an Ash 8 in. dia. bears S 70 W 25 Ws. dist. &

an Elm 7 " " " N 72 W 15 " "

Over level land. Timber Elm, Ash, Oak &c

West on the S. Boundary of Sec. 35, T 23 N., R 7 E

40.00 set of sec. post from which

an Ash 7 in. dia. bears N 51 E 9 Ws. dist. &

an Oak 10 " " " S 42 W 19 " "

80.00 set part cor. of sec. 34 & 35 from which

an Ash 8 in. dia. bears N 64 E 18 Ws. dist. &

a Do 9 " " " S 41 W 3 " "

Land &c same as last described.

West on the S. Boundary of Sec. 34, T 23 N., R 7 E

40.00 set of sec. post from which

a Beech 7 in. dia. bears S 56 E 5 Ws. dist. &

a Lynn 20 " " " N 75 W 20 " "

44.11 Intersect E. Boundary of Miami Reservation,
set post from which

an Oak 22 in. dia. bears N 23 E 4 Ws. dist. &

a Lynn 7 " " " S 19 W 3 " "

Land &c same as last described.

1820.

John M. Donald, Dep. Sur.

T. 22 N., R. 7 E., 2^d Mer. Ind. ^{Chs. 30th}

West Boundary.

Var. 6th

North on the E. Boundary of Sec. 30, T. 22 N., R. 6 E.

40.00 set gr. sec. post from which

a Bur Oak 20 in. dia. bears N 08 E 15 Ws. dist. 8

and Ironwood 6 " " " S 27 W 5 " "

69.30 Intersect S. Boundary of Miami Reservation,

set post from which

a W. Elm 6 in. dia. bears S 25 W 7 Ws. dist. 8

a Spruce 10 " " " S 6 E - " "

Land level 2^d rate. Timber Oak, Ash & Elm

James Worthington
Deputy Surveyor.

Subdivision. Var. 6th E.

North between Sec. 35 & 36

5.80 a Sugar 24 in. dia.

40.00 set gr. sec. post from which

a Beech 12 in. dia. bears N 30 E 35 Ws. dist. 8

a Do 20 " " " S 81 E 31 " "

50.80 a Beech 20 " "

30.00 set post cor. of sec. 25, 26, 35 & 36 from which

a Beech 20 in. dia. bears N 11 E 23 Ws. dist. 8

a Do 20 " " " S 21 W 42 " "

Land level 2^d rate. Timber Beech, Ash, Oak
Wyr. Spice Fallen timber

East on Random between Sec. 25 & 36

40.00 set temp. gr. sec. post

48.00 a Brook 12 Ws. wide course S.

80.58 Intersect E. Boundary 50 Ws. S. of post -

Good rolling farming land. Timber Beech,
Ash, Oak. Wyr. Spice. Fallen timber

West corrected between Sec. 25 & 36

40.27 set gr. sec. post at aver. dist. from which

a Beech 14 in. dia. bears N 20 E 11 Ws. dist. 8

T. 22 N., R. 7 E. S. 2 Mer. Ind.^a
Chs. Lk?

a Beech 16 in. dia. bears S 20 W 23 1/2 Mts. dist.
80.58 to sec. cor.

North between Secs. 25 & 26

40.00 set of sec. post from which

a P. Elm 30 in. dia. bears S 64 E 26 1/2 Mts. dist. &

a Beech 6 " " " N 23 W 33 " "

80.00 set post cor. of sec. 23, 24, 25 & 26 from which

a Buckeye 12 in. dia. bears N 18 W 13 1/2 Mts. dist. &

a W. Oak 18 " " " S 37 E 34 " "

Land level & rich. Beech, Sugar, Walnut, Spice

East on Random between Secs. 24 & 25

40.00 set temp. of sec. post

80.60 Intersect E. Boundary 18 1/2 Mts. E. of post -

Land level & rate. Beech, Hickory, Ash, Spice

West Connected between Secs. 24 & 25

40.30 set of sec. post at aver. dist. from which

a Ash 8 in. dia. bears N 17 E 11 1/2 Mts. dist. &

a Do 12 " " " S 56 W 12 " "

80.60 to sec. cor.

North between Secs. 23 & 24

3.00 cross a Brook twice 6 Mts. wide E & W

32.00 a Brook 5 Mts. wide course W

40.00 set of sec. post from which

a Beech 8 in. dia. bears N 18 W 14 1/2 Mts. dist. &

a Buckeye 12 " " " S 46 E 20 " "

80.00 set post cor. of sec. 13, 14, 23 & 24 from which

a P. Elm 6 in. dia. bears N 15 E 27 1/2 Mts. dist. &

a P. Walnut 24 " " " S 10 E 3 " "

Good level & rate land. Beech, Ash, Oak, Spice

East on Random between Secs. 13 & 24

40.00 set of sec. post (temp.)

167

T. 22 N., R. 7 E. 2. Mer. Ind. a
Ch. 1st

80.43 Intersect E. Boundary 20 Ws. S. of post -
Land level 2nd rate. Oak, Ash, Elm. Spice &c.

West Corrected between Sec. 13 & 24

40.21 set of sec. post at aver. dist. from which
a W. Elm 8 in. dia. bears N 40° W 21 Ws. dist. 8
and Ash 18 " " " S 12° E 19 " "
80.43 to sec. cor.

North between Sec. 13 & 14

40.00 set of sec. post from which
a Poplar 12 in. dia. bears N 45° W 11 Ws. dist. 8
a Hickory 16 " " " S 40° E 30 " "
80.00 set post cor. of sec. 11, 12, 13 & 14 from which
a Maple 18 in. dia. bears N 15° E 16 Ws. dist. 8
a Do 20 " " " S 30° W 29 " "
Land level 2nd rate. Beech, Ash, Poplar. Spice

East on Random between Sec. 12 & 13

40.00 set temp. of sec. post
79.90 Intersect E. Boundary 50 Ws. S. of post -
Land level 2nd rate. Oak, Ash, Poplar. Spice

West Corrected between Sec. 12 & 13

39.95 set of sec. post at aver. dist. from which
a R. Oak 20 in. dia. bears S 50° E 50 Ws. dist. 8
a Maple 8 " " " N 45° W 11 " "
79.90 to sec. cor.

North between Sec. 11 & 12

40.00 set of sec. post from which
a Beech 20 in. dia. bears S 66° E 7 Ws. dist. 8
a Sugar 24 " " " N 86° W 7 " "
80.00 set post cor. of sec. 1, 2, 11 & 12 from which
a Ironwood 20 in. dia. bears N 15° W 18 Ws. dist. 8
a Do 10 " " " S 15° E 7 " "

T. D. N., R. 7 E. 2. Mer. Ind.^u
Ch. Sk.

Land level & wet. Timber Oak, Ash, Elm. Ulp.
Picky Ash & Spice

East on Random between Sec. 1 & 12

40.00 set temp. gr. sec. post

80.00 Intersect E. Boundary 40 Ws. E. of post —
Land level & wet. Timber Oak & Elm

West Connected between Sec. 1 & 12

40.00 set gr. sec. post at avor. dist. from which
a W. Elm 30 in. dia. bears S 15° W 7 Ws. dist. 8
a Maple 30 " " " N 10° E 28 " "

80.00 to sec. cor.

North between Sec. 1 & 2

40.00 set gr. sec. post from which

a Beech 10 in. dia. bears N 40° W 2 Ws. dist. 2

a Sugar 15 " " " S 35° E 34 " "

83.00 Intersect N. Boundary 110 Ws. E. of post —

set post at intersection cor. of sec. 1 & 2 from which

a Sap. Ash 12 in. dia. bears N 10° W 16 Ws. dist. 2

a W. Elm 12 " " " S 41° E 18 " "

Land level 2nd rate. Oak, Ash, Elm. Spice

North between Sec. 34 & 35

40.00 set gr. sec. post from which

a Maple 16 in. dia. bears S 84° E 26 Ws. dist. 2

a W. Elm 10 " " " S 78° W 11 " "

44.00 a Run 10 Ws. wide course W

80.00 set post cor. of sec. 27, 28, 34 & 35 from which

a Bur Oak 24 in. dia. bears S 54° W 11 Ws. dist. 2

a Hickory 12 " " " S 74° E 21 " "

Land rolling 2nd rate. Ash, Oak & Beech. Spice
Fallen timber in quantity

East on Random between Sec. 26 & 35

Complete

T. 22 N., R. 7 E., 2^d Mer. Ind.^a

Chr. 180.

21.00 a Brook 6 Ws. wide course S.

40.00 set of sec. post (temp.)

58.00 a Run 6 Ws. wide course S.

80.00 Intersect N & S. line 48 Ws. N. of post—

Land level 2^d rate. Beech, Oak, Hickory. Spice

West Corrected between Sec. 26 & 35

40.00 set of sec. post at aver. dist. from which

a Beech 14 in. dia. bears S 86 E 21 Ws. dist. 8

a Do 14 " " " N 68 W 32 " "

80.00 to sec. cor.

North between Sec. 26 & 27

40.00 a Beech, 16 in. dia. of sec. corner tree from which

a Do 16 " " " bears N 20 E 25 Ws. dist.

80.00 set post cor. of sec. 22, 23, 26 & 27 from which

a Beech 6 in. dia. bears N 10 W 7 Ws. dist. 8

a Do 10 " " " S 10 E 23 " "

Land level 2^d rate. Beech, Ash, Hickory

East on Random between Sec. 23 & 26

40.00 set temp. of sec. post

77.00 a Run 6 Ws. wide course S.

79.66 Intersect N & S. line 41 Ws. N. of post—

Good level 2^d rate land. Timber Oak, Hickory
Beech. Wyp. Spice

West Corrected between Sec. 23 & 26

39.83 set of sec. post at aver. dist. from which

a W. Oak 32 in. dia. bears N 35 W 21 Ws. dist. 8

a Beech 6 " " " S 4 E 11 " "

79.66 to sec. cor.

West between Sec. 22 & 27

40.00 set of sec. post from which

a W. Elm 18 in. dia. bears N 66 W 22 Ws. dist. 8

Chs. Sk. T. 22 N., R. 7 E. 2^d Mer. Ind.ⁿ

a Beech 5 in. dia. bears S 70 E 19 Ws. dist.
 48.70 Intersect E. Boundary of Miami Reservation
 46.90 Ch. N. of the S E. corner thereof, set part
 from which
 a Sugar 12 in. dia. bears South 18 Ws. dist. 8
 a W. Oak 30 " " " N 84 W 36 " "
 Land level 2^d rate. Timber Beech, Ash, Oak
 Wls. Spice. Fallen timber

North between Sec. 22 & 23

40.00 set gr. sec. part from which
 a Beech 6 in. dia. bears N 46 E 16 Ws. dist. 8
 a Do 5 " " " S 58 E 15 " "
 80.00 set part cor. of sec. 14, 15, 22 & 23 from which
 a Beech 16 in. dia. bears N 46 W 22 Ws. dist. 8
 a Do 14 " " " S 80 E 36 " "
 Land level 2^d rate. Beech, Hickory, Ash. Spice

East on Random between Sec. 14 & 23

40.00 set temp. gr. sec. part
 79.40 Intersect N & S line 22 Ws. S. of part —
 Land level good 2^d rate. Timber Beech, Sugar
 Ash. Wls. Spice

West Corrected between Sec. 14 & 23

39.70 set gr. sec. part at aver. dist. from which
 a Beech 16 in. dia. bears N 19 W 5 Ws. dist. 8
 a Sugar 24 " " " S 35 W 4 " "
 79.40 to sec. cor.

West between Sec. 15 & 22

40.00 set gr. sec. part from which
 a W. Elm 15 in. dia. bears N 77 W 10 Ws. dist. 8
 a Do 15 " " " N 42 E 8 " "
 48.50 Intersect E. Boundary of Miami Reservation
 set part from which

T. 22 N., R. 7 E. 2. Mer. Ind.^a
Chas. L. H.

a Beech 18 in. dia. bears S 83 E 19 Ws. dint. S
a Do 10 " " " S 81 W 18 " "
Land level & wet. Timber Ash & Elm. Ulp. P. Ash
Fallen timber.

North between Sec. 14 & 15

40.00 set gr. sec. post from which
a Swamp Ash 6 in. dia. bears N 63 E 14 Ws. dint. S
an Ash 6 " " " S 49 W 29 " "
80.00 set post cor. of sec. 10, 11, 14 & 15 from which
an Elm 16 in. dia. bears N 36 W 16 Ws. dint. S
a Do 10 " " " S 18 E 24 " "
South half mile level 2 rated Beech land.
North half mile level & wet. Timber Ash,
Elm, Sycamore. Ulp. Spice & Prickly Ash

East on Random between Sec. 11 & 14

40.00 set temp. gr. sec. post
79.20 Intersect N. S. line 60 Ws. N. of post -
Land level & wet. Timber Oak, Ash, Elm.
Ulp. Spice & Prickly Ash

West Corrected between Sec. 11 & 14

39.60 set gr. sec. post at aver. dint. from which
a Beech 18 in. dia. bears N 75 W 21 Ws. dint. S
a Buckeye 6 " " " N 75 E 36 " "
79.20 to sec. cor.

West between Sec. 10 & 15

40.00 set gr. sec. post from which
a Beech 12 in. dia. bears N 66 W 17 Ws. dint. S
a Do 15 " " " S 83 E 25 " "
48.00 Intersect E. Boundary of Miami Reservation,
set post from which
an Ash 12 in. dia. bears N 75 W 4 Ws. dint. S
an Ironwood 5 " " " N 87 E 36 " "

T. D. N., R. 7 E. 2. Mer. Ind.?
Chr. Sp.

Land level wet. Beech, Ash, Elm. P. Ash

North between Sec. 10 & 11

40.00 set q. sec. post from which
 a Hickory 10 in. diam. bears N 32° W 30 Mts. dist. 8
 a Gum 10 " " " S 62° E 9 " "
 80.00 set post cor. of sec. 2, 3, 10 & 11 from which
 a W. Elm 10 in. diam. bears S 48° E 15 Mts. dist. 8
 a Maple 10 " " " N 76° W 15 " "
*Land level 2nd rate. Oak, Ash, Hickory.
 Bushy. Spice & Prickly Ash*

West between Sec. 3 & 10

40.00 set q. sec. post from which
 a Swamp Ash 8 in. diam. bears N 66° W 22 Mts. dist. 8
 a Maple 18 " " " N 64° E 25 " "
 48.00 Intersect E. Boundary of Miami Reservation,
 set post from which
 a Swamp Ash 10 in. diam. bears N 35° E 3 Mts. dist. 8
 a W. Elm 12 " " " S 35° W 30 " "
*Poor wet land. Timber Elm & Maple.
 Upr. Prickly Ash & Alder*

East on Random between Sec. 2 & 11

40.00 set temp. q. sec. post
 79.50 Intersect N. E. line 00 Mts. N. of post -
*Land level wet. Timber Oak, Ash, Elm.
 Upr. Prickly Ash & Spice*

West Corrected between Sec. 2 & 11

39.75 set q. sec. post at aver. dist. from which
 a Swamp Ash 10 in. diam. bears N 40° W 33 Mts. dist. 8
 a Do 11 " " " S 45° E 32 " "
 79.50 to sec. cor.

North between Sec. 2 & 3

T. 22. N., R. 7 E., S. Mer. Ind.?
Ch. 1. Sk?

40.00 set of sec. part from which
 a Gum 20 in. dia. bears N 74 E 4 1/2 Ws. dist 8
 a Beech 6 " " " S 74 1/2 W 14 " "
 82.00 Intersect N. Boundary 171 Ws. E. of part -
 set part at intersection cor. of sec. 2 & 3 from which
 a W. Elm 18 in. dia. bears S 74 1/2 W 30 Ws. dist 2
 a Pop. Ash 10 " " " N 51 E 12 " "
 Sand level 2 rate. Timber Beech, Ash, Oak.
 Upr. Spice & Prickly Ash.

North between Sec. 33 & 34

40.00 set of sec. part from which
 a Beech 12 in. dia. bears S 44 E 3 Ws. dist 2
 a Do 6 " " " S 44 1/2 W 15 " "
 80.00 set part cor. of sec. 27, 28, 33 & 34 from which
 an Ash 10 in. dia. bears N 50 E 21 Ws. dist 2
 a Bur Oak 6 " " " S 68 1/2 W 6 " "
 Sand level 2 rate. Beech, Ash, Poplar, Spice,
 Fallen timber.

East on Random between Sec. 27 & 34

34.00 a Run 6 Ws wide curve S.

40.00 set temp. of sec. part

80.10 Intersect N. 4 line 12 Ws. N. of part -
 Sand level 2 rate. Timber Beech, Ash, Oak,
 Hickory. Upr. Spice &

West Corrected between Sec. 27 & 34

40.08 set of sec. part at aver. dist from which
 a Beech 18 in. dia. bears N 40 1/2 W 36 Ws. dist 8
 a Hickory 18 " " " S 37 E 35 " "
 80.10 to sec. cor.

North between Sec. 27 & 28

28.90 Intersect S. Boundary of Miami Reserve,
 set part from which

Chs. Sk. T. 22 N., R. 7 E. 2. Mer. Ind.?

a Beech 14 in. dia. bears N 81° W 17' W. dist. 2
 a Do 18 " " " N 50° E 3 " "
 Sand level 2. rate. Beech, Ark, Oak, Spice
 From post N. 79. 51. E. 32. 26 W. to S.E. corner
 of Miami Reserve.

North between Sec. 32 & 33

40.00 set of sec. post from which

a Gum 12 in. dia. bears N 30° E 14' W. dist. 2
 a Do 12 " " " S 10° W 21 " "

80.00 set post cor. of sec. 28, 29, 32 & 33 from which

a Beech 6 in. dia. bears N 18° W 20' W. dist. 2
 a W. Elm 24 " " " S 30° E 14 " "
 Sand level 2. rate. Beech, Ark, Oak, Spice

East on Random between Sec. 28 & 33

40.00 set temp. of sec. post

79. 72 Intersect N. S. line H. W. N. of post -

Sand level 2. rate. Beech, Sugar, Ark, Spice

West Corrected between Sec. 28 & 33

39.86 set of sec. post at aver. dist. from which

a Water Beech 5 in. dia. bears N 72° E 20' W. dist. 3
 a Hickory 8 " " " S 52° W 34 " "

79. 72 to sec. cor.

North between Sec. 28 & 29

15.50 Intersect S. Boundary of Miami Reserve,
 set post from which

a Sup. Ark 12 in. dia. bears N 77° W 14' W. dist. 5

a Do 5 " " " N 85° W 10 " "

Sand level 2. rate. Beech, Ark, Oak, Spice

North between Sec. 31 & 32

40.00 set of sec. post from which

a Beech 14 in. dia. bears S 81° E 26' W. dist. 3

175

T. D. N., R. 7 E. L. Mer. Ind.²
Ch² 101

a Sugar 10 in. dia. bears S 89 W 19 W. dist.
80.00 set post cor. of sec. 29, 30, 31 & 32 from which
a Sap. Ash 12 in. dia. bears S 84 W 14 W. dist. 8
a Dr 5 " " " S 83 E 9 " "
Land level 2^d rate. Oak, Ash, Hickory, Spice &c

East on Randem between Sec. 29 & 32
40.00 set temp. gr. sec. post
78.00 Intersect N & S. line 40 W. N. of post -
Land wet & swampy, with Windfalls.
Timber Sycamore, Cottonwood, Elm

West Connected between Sec. 29 & 32
39.30 set gr. sec. post at aver. dist. from which
a Gum 20 in. dia. bears S 70 E 34 W. dist. 8
a W. Oak 20 " " " N 40 W 34 " "
78.00 to sec. cor.

West between Sec. 30 & 31
15.00 Intersect S. Boundary of Miami Reserve,
set post from which
a Maple 6 in. dia. bears S 41 W 25 W. dist. 8
an Ash 8 " " " N 30 E 20 " "
Land level & wet. Ash, Elm, Cottonwood

North between Sec. 29 & 30
2.60 Intersect S. Boundary of Miami Reserve,
set post from which
a Cottonwood 36 in. dia. bears S 80 W 14 W. d.
a Sap. Ash 6 " " " N 80 E 23 " "
(Description of land &c omitted).
Surveyed in 1824 by James Worthington
Deputy Surveyor.

I certify that the foregoing transcript of
Field Notes of the survey of Township N. 22.
North, of Range N. 7 East of the 2^d Princip-
al Meridian, in the State of Indiana, has
been compared with the original on file in
this office, and found to be correct.

Surveyor General's Office,
Cincinnati, March 5, 1845.

William Johnston
Sur. Genl.

INDEX MAPS. **T.22 N. R.7 E. 2 ^d Mer.**

388	6	402	5	395	4 ²	391	3	2	1
4401		4401		395		391			
387	7	401	8	395	9	391	10	11	12
4400		4400		394		390			
387	18	399	17	394	16	390	15	14	13
399		398		393		389			
387	19	398	20	393	21	389	22	23	24
397		397		392		389			
386	30	396	29	392	28	388	27	26	25
386	36	S. Boundary of Reserve.							
	31	32	33	34	35	36			

T.23 N. R.7 E. 2 ^d Mer.

4406		4407		407		408			
440	6	427	5	420	4	415	3	2	1
4427		4426		420		415			
440	7	426	8	419	9	414	10	11	12
4426		4425		419		414			
4409	18	425	17	418	16	414	15	14	13
4424		4424		418		413			
4409	19	423	20	417	21	413	22	23	24
4423		4422		417		412			
4408	30	422	29	417	28	412	27	26	25
4421		4421		416		411			
4408	31	420	32	416	33	411	34	35	36
4405		4405		405		406			

The figures on the lines refer to the page.

Township No. 22 N. R. 7 E. 2nd Mer. Indiana
Chs. 16.

North Boundary.

Var. 450 E.

N. 89.35 E. On S. Boundary of Sec. 31. T. 23 N. R. 7 E.

28.34 a W. Oak 20 in. diam.

43.00 Set 2nd Sec. post p. wh.

a W. Oak 20 in. diam. B. S. 37 E. 13 lks. &

a Lynn 8 " " " N. 38 W. 27 "

64.27 a Beech 10 " "

83.00 Set post cor. to Sec. 31 & 32 p. wh.

a Beech 8 in. diam. B. N. 5 E. 4 lks.

a Do 8 " " " N. 32 W. 27 "

Land Soil post rate clay soil
Elin. Ash. Oak. Beech. Sugar. Hick.
Lynn. Walnut. Maple. & Spruce

N. 89.35 E. On S. Boundary of Sec. 32. T. 23 N. R. 7 E.

Variation 450 E.

18.42 a Lynn 10 in. diam.

40.00 Set 2nd Sec. post p. wh.

a Beech 12 in. diam. B. N. 50 E. 32 lks.

a Do 12 " " " N. 70 W. 42 "

60.19 a Lynn 12 " "

80.00 Set post cor. to Sec. 32 & 33 p. wh.

a B. Ash 12 in. diam. N. 5 E. 36 lks.

a Beech 8 " " " N. 60 W. 17 "

Land Soil post rate
Ash. Elin. Lynn. Hick. Walnut,
Beech. Sugar. Oak &c -

N. 89.35 E. On S. Boundary of Sec. 33. T. 23 N. R. 7 E.

21.70 a W. Ash 20 in. diam.

40.00 Set 2nd Sec. post p. wh.

a B. Ash 8 in. diam. B. N. 41 W. 46 lks. &

an Elin 6 " " " " S. 60 E. 12 "

59.35 a Beech 8 " "

80.00 Set post cor. to Sec. 33 & 34 p. wh.

T. 22 N. R. 7 E. 2nd Mer. Indiana.
 Chs. lks.

a W. Ash 10 in. diam. to N. 15 E. 37 lks. &
 an Elm 6 " " " N. 65 W. 29 "

Land level first rate
 Beech, Sugar, Ash, Elm, Oak, Lym.,
 Maple, Hickory, Walnut, Sycamore &c.

N. 89° 35' E. On S. Boundary of Sec. 34 T. 23 N. R. 7 E.
 Variation 4° 50' E.

23.49 a W. Ash 12 in. diam.

30.50 a Road N. E.

35.89 Intersected Old Cor. on E. Boundary
 of Reserve - Took new bearings,
 a Hickory 14 in. diam. to N. 85 E. 55 lks.,
 a Lym 8 " " " N. 19 W. 3 "

Land Level & well
 Elm, Ash, Oak, Lym., Hickory, Maple,
 Sycamore &c. - Nov. 25. 1846 -

West Boundary.

Var. 5° 10' East

From S. Boundary of Miami Reserve
 N. 10 W. On E. Boundary of Sec. 36 T. 22 N. R. 6 E.

10.70 Set post Cor. to Sec. 25 & 36 p. wh.
 a B. Ash 12 in. diam. S. 41 W. 27 lks.,
 an Elm 15 " " " N. 19 W. 20 "

Land Level & well - Timber
 B. Ash, Oak, Maple &c. -

N. 10 W. On E. Boundary of Sec. 25 T. 22 N. R. 6 E.

16.70 a Lym 18 in. diam.

40.00 Set 2nd Sec. post p. wh.

a Beech 12 in. diam. to S. 51 W. 29 lks.,
 a Lym 10 " " " N. 30 E. 12 "

63.00 a Stream 50 lks. wide co. W. L. M. sluggish

66.52 a B. Walnut 12 in. diam.

80.00 Set post Cor. to Sec. 24 & 25 p. wh.

387

T. 22 N. R. 7 E. 2nd Mer. Indiana.
 Ch. Co.

a Lym 15 in. diam. ~~16~~ 160 W. 22 lbs. &
 a B. Oak 18 " " " 163 W. 63 "

Land here fine rate. Clay
 soil - Beech, W. B. Oak, Sugar, Sycamore,
 Buckeye, Elm, Maple, & Ash & Spruce

N. 10th Q. E. Boundary, of Sec. 24 T. 22 N. R. 6 E.

21.25 a Maple 10 in. diam.

40.00 Set 2nd Sec. for p. wh.

a Beech 6 in. diam. ~~16~~ 132 E. 27 lbs.

a Do 4 " " " 123 W. 17 "

61.30 an Elm 15 " "

80.00 Set for Cor. to Sec. 13 & 24 p. wh.

a Beech 10 in. diam. ~~16~~ 119 W. 21 lbs.

a B. Ash 8 " " " 153 W. 39 "

Land here good - Timber
 Elm, Lym, Maple, B. Ash, Beech,
 Oak, Irono, Sugar, Buckeye,
 Magnolia - P. Ash & Spruce

N. 10th Q. E. Boundary, of Sec. 13 T. 22 N. R. 6 E.

21.80 a W. Ash 12 in. diam.

40.00 Set 2nd Sec. for p. wh.

a W. Ash 10 in. diam. ~~16~~ 152 W. 8 lbs. dia.

a Lym 12 " " " 176 E. 20 " "

61.00 a W. Oak 6 " " "

80.00 Set for Cor. to Sec. 12 & 13 p. wh.

a Beech 12 in. diam. ~~16~~ 140 W. 45 lbs.

a Do 12 " " " 151 W. 45 "

Land here good - Timber
 Beech, Ash, Elm Oak, Maple, Hickory,
 Sugar, Lym, Buckeye &c

N. 10th Q. E. Boundary, of Sec. 12 T. 22 N. R. 6 E.

23.30 a Beech 10 in. diam.

40.00 Set 2nd Sec. for p. wh.

T. 22 N. R. 6 E. 2nd Mer. Indiana
Ch. lks.

a Beech 12 in. diam. b. N 37 W. 28 lks.
a Do 12 " " " 45 b. 20 "
61.50 a Do 18 " " "
75.00 a Road E & W.
80.00 Set post Cor. to Sec. 1 & 12 fr. wh.
a Beech 10 in. diam. b. N 25 W. 50 lks. x
a W. Ash 12 " " " 60 W. 45 "

Land gently rolling
fine rate. W. Ash, Beech, Sugar, Ironwood,
Hickory, Lymn, Buckeye, W. Wood &c

N. 10th Ch E. Boundary of Sec. 1, T. 22 N. R. 6 E.

21.30 a Beech 18 in. diam.

26.50 a Stream 18 lks. wide co. W.

40.00 Set 2^d Sec. post fr. wh.

a Beech 8 in. diam. b. N 34 E. 34 lks.

a Do 10 " " " N 24 W. 33

60.40 a Do 10 " " "

76.00 Intersected Town Cor. at post fr. wh.

a Beech 8 in. diam. b. N 40 E. 41 lks.

a Do 10 " " " 38 W. 38 "

Land, soil, timber same
as last mile - Dec. 6. 1846. -

Surveyed by

John Mullett

Depy. Surveyor

Subdivision

Var. 4° 50' East

North Between Sections 27 & 28.

28.90 To G. Boundary of Reserve

Old bearings

11.10 Set 2^d Sec. post fr. wh.

a B. Ash 6 in. diam. b. N 40 W. 15 lks. x

an Elm 12 " " " 80 E. 21 "

15.10 Enter B. Ash Grove E. & E.

T. 22 N. R. 7 E. 2nd Mer. Indiana

Chs. Mts.

- 23.60 a Sycamore 20 in. diam.
 36.10 Clear Swale E. S. E.
 51.10 1st 1st Cor. to Sec. 21, 22, 27, 28 p. wh.
 a Beech 8 in. diam. ~~N. 29 W.~~ 35 W. x
 a Do 6 " " " 44 E. 21 "
 Land here good second
 rate Clay soil. - Beech, Sugar, Elm, Hickory,
 Irono. Gum, W. B. Oak, Water Beech
 W. B. Ash - P. Ash & Spruce

East On Random Betw. Sec. 22 & 27

- 14.00 a Road N. W. x S. E.
 31.50 Intersusita E. Boundary of Reservation
 1.00 mi. of Old fence

Land gently rolling good
 second rate - Clay soil - Beech, Irono.,
 Oak, Cherry, Gum, Hickory, mostly
 of small growth. -

N. 88.15 W. Corrected Betw. Sec. 22 & 27

Old bearings

- 6.00 a Beech 6 in. diam.
 31.50 to Sec. Cor.

North Between Sections 21 & 22

- 12.50 Wet weather stream 10 W. side ca. W.
 sluggish
 22.50 a Road S. E. x N. W.
 23.80 a Beech 6 in. diam.
 40.00 1st 2nd Sec. 1st p. wh.
 a Beech 12 in. diam. ~~N. 33 E.~~ 18 W. dis.
 a Do 6 " " " 46 W. 6 " "
 58.65 a Gum 10 " "
 80.00 1st 1st Cor. to Sec. 15, 16, 21, 22 p. wh.
 a Beech 10 in. diam. ~~N. 60 W.~~ 18 W. dis.
 a Do 10 " " " 77 E. 20 " "

22 N. R. & E. 2nd Mer. Indiana
Ch. 16

Land gently rolling first
rate Clay Soil Hickory, Beech, Sugar,
Lynn, W. B. Oak, B. Walnut, Buckeye
not much Undergrowth.

S. 88° E. On Random Betwth Sec. 15 & 22

31.76 Intersuchia E. Boundary of Reservation
10 lbs. N. of first

Land gently rolling first
rate Clay Soil Beech & Hickory first
Hickory, Sugar, Lynn, Ironw^{ood}, W. Wood
Buckeye - not much Undergrowth.

N. 80° W. Corrected Betwth Sec. 15 & 22

14.76 a Beech 10 in. diam.

31.76 to Sec. Cor.

North Between Sections 15 & 16

7.00 Enter Swale E. & W.

18.04 a B. Ash 10 in. diam.

29.00 a Road E. & W. of Clear Swale E. & W.

40.00 1st 2nd Sec. post from wh.

a Beech 10 in. diam. N. 11 E. 15 lbs. &

a Do 8 " " " 24 lbs. 7 "

59.85 a Sugar 18 " "

65.00 Enter Swale E. & W.

72.00 Clear Do E. & W.

80.00 1st post Cor. to Sec. 9, 10, 15, 16 from wh.

a Beech 6 in. diam. N. 68 E. 19 lbs. dis.

a Lynn 8 " " " N. 40 E. 6 " "

Land slightly rolling first
rate Clay soil Beech, Sugar, Lynn, Hickory,
W. B. Oak, W. B. Ash, B. Walnut, W. Wood
Ironw^{ood} - not much Undergrowth.

S. 88° E. On Random Betwth Sec. 10 & 15

391

T. 22 N. R. 7 E. 2nd Mer. Indiana,
cho. lks.

31.85 Intersected E. Boundary of Reservation
12 lks. N. of post
Land of the same

N. 88° W. Corrected Btwn. Secs. 10 & 15
11.15 a Sugar 18 in. diam.
31.85 to Sec. Cor.

North Between Sections 9 & 10
19.70 a Hickory 10 in. diam.
40.00 1st 2nd Sec. post pr. wh.
a Beech 6 in. diam. to Sec. 4 W. 17 lks. &
a Do 6 " " S. 36 E. 16 "
68.80 a B. Ash 10 " "
80.00 1st post cor. to Secs. 3, 4, 9, 10, pr. wh.
a Maple 10 in. diam. to N. 33 E. 45 lks.
a B. Ash 10 " " S. 31 W. 40 "
Land here first rate Clay Soil
rather rich Beech, W. B. Ash, Maple,
Elm, Gum, Oak, Sycamore &
Not much height.

N. 88° E. On Random Btwn. Secs. 3 & 10
32.40 Intersected E. Boundary of Reservation
18 lks. N. of post
Land of same as last mile

N. 88° W. Corrected Btwn. Secs. 3 & 10
10.00 a B. Ash 6 in. diam.
32.40 to Sec. Cor.

North Between Sections 3 & 4
23.00 a Gum 10 in. diam.
23.50 Enter Field E. & W.
32.00 a House 30 lks. East
36.00 Grass Field E. & W.

S. 22. N. R. & E. 2nd Mer. Indiana.
do. lks.

40.00 Set 2nd Sec. post p. wh.
a Lym 10 in. diam. N. 17 E. 21 lks. do.
a Lye 10 " " " N. 30 W. 21 " "

62.50 an Elm 12 " "

64.00 a House 200 E. ast.

80.10 Intersected N. Boundary 2.60 E. of post
Set post at intersection p. wh.

a Coffe nut 18 in. diam. N. 35 W. 76 lks.

a Beech 8 " " " N. 60 E. 41 "

Land here fine rate Clay
Soil - rather wet - W. B. Ash. Maple,
Elm Lym. Sugar. Hornb. Sycamors
Beech. Boxwood Cherry. Buckeye,
P. Ash & Spruce - Nov. 26. 1846.

North Return Section 28 & 29

15.50 To South Boundary of Reservation
Old bearing

12.20 a W. Ash 10 in. diam.

20.00 Near B. Ash. Land E. & W.

24.50 Set 2nd Sec. post p. wh.

a Beech 12 in. diam. N. 55 W. 21 lks. &

a Beech 20 " " " N. 59 E. 67 "

44.10 a B. Walnut 18 " "

59.50 W. L. Weather Stream 10 lks. wide co. Westerly

64.50 Set post Cont. Sec. 20. 21. 28. 29 p. wh.

a Beech 8 in. diam. N. 54 W. 7 lks. do.

an Elm 12 " " " N. 17 E. 14 " "

Land here fine rate Clay
Soil - Beech, Sugar. Hornb. Elm,
Hickory, W. B. Ash. Lym. W. B. Oak,
Buckeye. - P. Ash & Spruce

East On Random Bch. Sec. 21 & 28

33.00 a Stream 10 lks. wide co. Southerly. sluggish
with Muddy Bottom -

393

T. 22 N. R. 7 E. 2nd Mer. Indiana.

chs. lks.

68.00 a Run 10 lks. wide co. Southernly
 80.15 Intersected N. & S. Line 38 lks. N. of foot
 Land Lure first rate Clay
 Soil - Beech, Sugar, W. B. Ash, Elm,
 Ironwood, Hickory, Lym. W. B. Oak, Buckeye,
 P. Ash, & Spruce -

West Corrected Return Sec. 21 & 28

21.00 an Elm 15 in. diam
 40.07 Set 2nd Sec. foot p. wh.
 an Elm 8 in. diam. to N. 2 E. 23 lks. &
 a Do 8 " " " N. 32 W. 40 "
 60.50 a Lym 10 " "
 80.15 to Sec. Cor.

North Return Section 20 & 21

18.80 a B. Ash 10 in. diam
 40.00 Set 2nd Sec. foot p. wh.
 a Beech 6 in. diam. to N. 42 E. 20 lks. &
 a Do 6 " " " N. 85 W. 28 "
 53.04 a W. Ash 18 " "
 63.00 a Road E. S. E. of N. N. W.
 80.00 Set foot Cor. to Sec. 16, 17, 20, 21 p. wh.
 a Beech 12 in. diam. to N. 31 W. 25 lks.
 a Do 12 " " " N. 52 E. 30 "
 Land slightly rolling first
 rate - Clay soil - Beech, Hickory, W. Ash
 Lym. W. B. Oak, Buckeye, Ironwood &
 W. Wood &c - P. Ash, & Spruce

East On Random Return Sec. 16 & 21

48.00 Enter B. Ash Land N. & S.
 53.00 Leave Do N. & S.
 79.84 Intersected N. & S. Line at foot
 Land slightly rolling first rate
 clay soil - Beech, Hickory, W. Ash

22 A. R. & 2nd Mer. Indiana.

Chs. Lks.

Lynn. W.B. Oak, Buckeye. Iron: W. Wood &

West Corrected Betw^o Sed. 16 & 21.

25.14 a Elm 18 in. diam.

39.92 Sed 2nd Sec. just p. wh.

a Beech 4 in. diam. to N. 47 E. 15 Chs. &

a L^o 6 " " " S. 50 W. 16 "

52.24 a L^o 10 " "

79.84 to Sec. Cor.

North Between Sections 16 & 17

29.50 a W. Oak 12 in. diam.

40.00 Sed 2nd Sec. just p. wh.

a Beech 10 in. diam. to S. 17 W. 32 Chs. &

a L^o 6 " " " N. 17 E. 17 "

52.00 a Road E. S. E. of W. A. W.

56.70 a Beech 10 in. diam.

80.00 Sed just Cor. to Sed. 8, 9, 16, 17 p. wh.

a Beech 12 in. diam. to N. 65 W. 6 Chs. dis.

a W. Beech 6 " " " S. 17 W. 22 " "

Land & soil rich clay soil -

Beech. Sugar. Iron: W.B. Oak, Lynn,

Hickory W.B. Ash. Buckeye. p. - Some

P. Ash & Spice

East On Random Betw^o Sed. 9 & 16

15.00 Enter Low P. Ash Land S. E. of N. W.

68.00 Leave L^o S. E. of N. W.

80.06 Interrupted by S. Lim 21, Chs. S. of por

Land except small fine ratio -

clay soil - Beech. W.B. Oak Lynn. P.

Walnut, Buckeye, Sugar, Hickory. W.B.

Ash. - P. Ash & Spice

West Corrected Betw^o Sed. 9 & 16,

25.25 a Lynn 15 in. diam.

T22 N. R. & E. 2nd Mer. Indiana

Ch. Lk.

40.03 Set 2^d Sec. for p. wh.
 a B. Ash 12 in. diam. $\frac{1}{2}$ 13 $\frac{1}{2}$ E. 21 Lk.
 a Lk 10 " " " N. 13 $\frac{1}{2}$ W. 10 "
 61.25 a Lk 10 " "
 80.06 to Sec. Cor. Nov. 27. 1846.

North Between Sections 8 & 9

23.40 a B. Ash 10 in. diam.
 40.00 Set 2^d Sec. for p. wh.
 a W. Oak 10 in. diam. $\frac{1}{2}$ 30 W. 21 Lk.
 a B. Ash 10 " " " N. 19 E. 25 "
 61.30 a W. Wood 12 " "
 80.00 Set for Cor. to Sed. 4, 5, 8, 9 p. wh.
 a Sycamore 10 in. diam. $\frac{1}{2}$ 27 E. 22 Lk.
 a Lk 10 " " " " N. 15 W. 33 "

Land level pine rate. Clay
 Soil - N. & B. Ash, Sycam. Maple, Beech.
 Sugar. Ironw. W. Wood, Buckeye, Hickory &
 Some Spruce & P. Ash. -

East On Random Betwth Sed. 4 & 9

79.80 Intersutia N. & P. Lim at post
 Land level pine rate Clay
 Soil - rather wet - N. & B. Ash. Elm.
 Ironw. Maple, Sycam. Sycamore & -

West Corrected Betwth Sed. 4 & 9

17.70 an Elm 12 in. diam.
 39.90 Set 2^d Sec. for p. wh.
 a Beech 18 in. diam. $\frac{1}{2}$ 45 E. 15 Lk. x
 a Sycam 10 " " " " N. 10 W. 19 "
 58.20 a W. Wood 18 " "
 79.80 to Sec. Cor.

North Between Sections 4 & 5

26.00 a Sycam 18 in. diam.

396 T. 22 N. R. 7 E. 2nd Mer. Indiana,
ch. lks

40.00 Set 2^d Sec. post p. wh.
a B. Oak 18 in. diam. to N. 87 E. 23 lks. &
a W. Beech 8 " " " 4.53 N. 21 "
47.70 a W. Oak 24 " "
78.60 Intersected N. Boundary 2.42 E. of post
Set post at intersection cor. to 425 p. wh.
a Beech 6 in. diam. to 4.56 E. 19 lks. &
a Spr 6 " " " 4.66 N. 15 "
Land level first rate clay
soil - rather wet - W. B. Oak, Sycam. Ironw.
W. Wood. W. B. Oak, Beech, Sugar &
Spice & P. Ash. - Nov 28-1846.

W. 1/2 Ch. Randon Betw. Sec. 30 & 31
Variation 5° East

(15.00 To S. Boundary of Reservation)
20.00 Clear Low B. Oak Land E. S. E.
65.50 Intersected N. Boundary 40 lks. N. of post
Land first 20.00 B. Oak, Sycam.
Last part Soil first rate clay soil -
Beech, Sugar, W. B. Oak, Sycam. Ironw.
W. Wood, W. B. Oak &

East Corrected Betw. Sec. 30 & 31
a B. Oak 12 in. diam. to 4.32 E. 27 lks. dis.
a Do 12 " " " 4.50 E. 21 " "
40.50 Set 2^d Sec. post p. wh.
a Beech 10 in. diam. to 4.38 E. 16 lks. dis.
a W. Beech 4 " " " 4.20 E. 12 " "
62.00 a Sycamon 24 " "
65.50 to old post on S. Boundary of Reserve

N. 15° E. Between Sections 29 & 30
{ 2.60 to S. Boundary of Reservation }
Old bearings }
17.40 a B. Oak 12 in. diam.

397

T. 22 N. R. 7 E. 2nd Mer. Indiana.

dis. lks

- 33.00 Clear Low B. Ash Land E. N. E. & W. S. W.
 37.40 Sel 2nd Sec. post p.m.h.
 a B. Ash 8 in. diam. to S. 39 E. 20 lks. dis.
 a Do 10 " " " S. 22 W. 25 " "
 53.00 Wet Weather Stream 18 lks. wide co. S. W.
 Sluggish Mudely Bottom
 58.70 a Beech 12 in. diam.
 77.40 Sel post Cor. to Sec. 19. 20. 29. 30 p.m.h.
 a Sugar 10 in. diam. to S. 23 W. 11 lks. dis.
 a Beech 8 " " " N. 51 W. 50 " "
 Land fine half-mile, low wet
 B. Ash Land - remainder fine rate Clay
 soil - Soil - W. B. Oak. Sugar. Hickory,
 Sycam. Sycam. Iron. W. Wood. Elm.

-
- East On Random Btmth Sec. 29 & 20
 50.00 a Stream 10 lks. wide co. W. S. W.
 67.00 a Do 10 " " " W. N. W.
 80.19 Interrupted N. & S. Line 36 lks. N. of post
 Land low rich fine rate
 Clay soil - W. B. Ash. W. B. Oak. Syc. Elm. Sugar.
 Beech. Hickory. Sycam. Buckeye. B. Walnut &
 Spec. P. Ash

-
- West Corrected Btmth Sec. 20 & 29
 19.60 an Elm 15 in. diam.
 40.00 Sel 2nd Sec. post p.m.h.
 a Beech 12 in. diam. to N. 63 E. 6 lks. &
 a Do 20 " " " S. 29 E. 33 "
 59.90 an Elm 18 " "
 80.19 to Sec. Cor.

-
- West On Random Btmth Sec. 19 & 30
 83.00 Interrupted W. Boundary 43 lks. S. of post
 Land low, rather wet, fine
 rate Clay soil - W. B. Ash. Beech. Sycam.

1.22 N. R. E. 2nd Mer. Indiana.
Chs. Rk.

W. B. Oak. Sugar. Ironw. W. Wood.
Sycamore. & some P. Ash & Spice

East Corrected Betw. Secs. 19 & 20
a W. Ash 15 in. diam. # 139 E. 40 lbs. &
a Do 12 " " " N 29 E. 22 "
35.00 a Do 24 " " "
113.00 Set 2nd Sec. from pr. wh.
a Lym 10 in. diam. # N 2 E. 6 lbs. &
a Do 6 " " " 418 E. 19 "
60.00 a Sugar 12 " "
83.00 to Sec. Cor.

N. 15 E. Between Sections 19 & 20
24.50 an Elm 15 in. diam.
40.00 Set 2nd Sec. from pr. wh.
a Beech 6 in. diam. # N 81 E. 6 lbs. &
a Sugar 8 " " " 576 W. 25 "
56.06 a Buckeye 10 " "
80.00 Set from Cor. to Secs. 17, 18, 19, 20 from wh.
a Beech 12 in. diam. # S 65 E. 11 lbs. &
a Do 6 " " " N 68 E. 40 "
Land level first rate - Clay soil
Beech, Elm, W. B. Oak, W. B. Ash, Buckeye,
Maple, Ironw. Hickory, &
Spice & P. Ash.

East On Random Betw. Secs. 17 & 20
30.00 To foot of Hill N. & S. 30 feet high
32.00 Top of Do
35.00 To foot of Hill N. & S.
61.00 a Road S. E. & N. W.
79.85 Intersected N. & S. Line 17 lbs. N. of post
Land slightly rolling first
rate Clay soil. Beech, Elm, Hickory, W.
B. Oak, W. B. Ash, Buckeye, Maple.

399

T. 22 N. R. 7 E. 2nd Mer. Indiana.
Ch. Co.

Ironwood — Spruce P. Ash.

West Cornered Between Secs. 17 & 20

19.25 a Beech 8 in. diam.

39.92¹/₂ 1st 2nd Sec. post p. wh.

a Spruce 10 in. diam. P. 42 E. 21 W. 2

a B. Ash 15 " " " 41 E. 09 "

59.80 a Beech 12 " "

74.85 to Sec. Cor. "

West On Random Between Secs. 18 & 19

84.50 Intersected by S. Line 20 W. N. of post

Land level, rather wet first
rate. Clay soil. W. B. Ash Elm,
Sycamore, W. Wood, Ironwood. Some P. Ash

East Cornered Between Secs. 18 & 19

a B. Ash 12 in. diam. P. 40 E. 29 W. 2

an Elm 10 " " " 46 E. 17 "

20.30 a W. Oak 15 " "

44.50 1st 2nd Sec. post p. wh.

a B. Ash 8 in. diam. P. 37 W. 11 E. 2

a Do 6 " " " 39 E. 10 " "

58.80 an Elm 15 " "

84.50 to Sec. Cor.

North Between Sections 17 & 18

23.50 a Sugar 18 in. diam.

40.00 1st 2nd Sec. post p. wh.

a Beech 18 in. diam. P. 35 W. 5 E. 2

a Do 8 " " " 85 E. 23 " "

62.80 a Do 10 " "

80.00 1st post Cor. to Secs. 7, 8, 17, 18 p. wh.

a B. Ash 12 in. diam. P. 44 W. 25 E. 2

an Elm 15 " " " 26 E. 27 " "

Land level rich clay soil

S22 N. R. & E. 2nd Mer. Indiana.
 chs lks.

Elm. B. Ash. Beech, Sugar, Ironwood,
 W. B. Oak, Buckeye, Lym. Hick. W.
 Ash &c - Some Spice & P. Ash.

East On Random Bets^d Sec. 8 & 17

8.00 a Road N. E. & S. W.

49.50 a Road E. & E. N. W.

79.60 Intersected N. & S. Line 20 lks. N. of post.

Land well rich firm rate
 Clay Soil - Beech, W. B. Oak, Elm.
 Lym. Ironwood, W. B. Oak, Hick. &c
 Some Spice & P. Ash. -

West Corrected Bets^d Sec. 8 & 17

19.70 a W. Oak 12 in. diam.

39.80 Set 2^d Sec. post fr. wh.

a Lym. 10 in. diam. to 39 E. 10 lks. &
 an Elm 12 " " " N. 44 W. 33 "

60.20 a B. Ash 10 " "

79.60 to Sec. Cor.

West On Random Bets^d Sec. 7 & 18

85.00 Intersected N. Boundary at post

Land slightly rolling firm
 rate. Clay Soil - Beech, B. Oak, Sugar,
 Lym. Hick. Ironwood, Buckeye, W. Ash,
 B. Walnut, - Some Spice & P. Ash

East Corrected Bets^d Sec. 7 & 18

a W. Ash 12 in. diam. to 77 E. 17 lks. &

a W. Beech 8 " " " N. 31 E. 24 "

21.00 a Sugar 24 "

45.00 Set 2^d Sec. post fr. wh.

a Beech 10 in. diam. to 122 W. 15 lks.

a Do 6 " " " N. 85 E. 20 "

60.00 a W. Ash 12 " "

401

T22. N. R. & E. 2nd Mer. Indiana.

chs. lks.

85.00 to Sec. Cor.

North Between Sections 7 & 8

26.00 a Hicky, 18 in. diam.

40.00 Set 2nd Sec. post p. wh.

a W. Ash 15 in. diam. θ S 81 W. 45 lks. x

" Syrm 10 " " " N 112 E. 10 "

42.50 a Road E. S. E.

63.00 a Sugar 18 in. diam.

80.00 Set post Cor. to Sec. 5, 6, 7, 8 p. wh.

a Beech 10 in. diam. θ S 62 W. 25 lks. x

a Irons 10 " " " N 44 W. 25 "

Land gently rolling fine rate
clay soil - W. Wood, Elm, Irons, Sycamore,
Syrm, W. B. Oak, W. B. Ash, Sugar, Hicky,
Buckeye, B. Walnut, Spice & P. Ash.

East On Random Betw. Sec. 5 & 8

80.12 Intersected N. S. Line 13 lks. N. of post

Land level rather wet, fine
rate - Clay soil - Beech, Elm, B. Ash, W.
Wood, Hicky, Maple, Sugar, Sycamore, B.
Walnut, Buckeye, W. Ash, Syrm, Irons & p.
Some P. Ash & Spice -

West Corrected Betw. Sec. 5 & 8

31.35 a Beech 8 in. diam.

40.06 Set 2nd Sec. post p. wh.

a W. Ash 12 in. diam. θ S 15 W. 3 lks. dis.

a Beech 10 " " " N 46 E. 33 " "

60.75 a W. Oak 26 " "

80.12 to Sec. Cor.

West On Random Betw. Sec. 6 & 7

6.50 a W. L. rather Stream 10 lks wide
co. M. N. W. Shaggyish -

T22 N. R. E. 2nd Mer. Indiana

85.65 Intersected N. Boundary, 19 lks. N. of post
 Land slightly rolling first
 rate - Beech, Sugar, Elm, Ironwood
 W. Wood, Lym. B. Walnut &c.
 Some Spice & P. Ash.

East Corrected Betw. Sec. 6 & 7
 a Beech 6 in. diam. 8th N. 40 E. 25 lks. &
 a Do 8 " " " N. 12 E. 29 "
 34.40 an Elm 18 " "
 45.65 Set 2nd Sec. post fr. wh.
 a Beech 8 in. diam. 8th N. 33 E. 9 lks. &
 a Do 8 " " " N. 12 E. 29 "
 59.55 an Elm 18 " "
 85.65 to Sec. Cor.

North Between Sections 5 & 6.
 19.50 a Run 10 lks. wide co. W. & 2
 29.50 a B. Oak 40 in. diam.
 40.00 Set 2nd Sec. post fr. wh.
 a B. Ash 10 in. diam. 8th N. 78 W. 10 lks. &
 an Elm 10 " " " N. 72 E. 29 "
 65.50 a Sycamore 36 " "
 76.50 Intersected N. Boundary, 2.30 E. of post
 Set post at intersection fr. wh.
 a Beech 6 in. diam. 8th N. 40 E. 15 lks. &
 a Do 10 " " " N. 48 W. 50 "
 Land slightly rolling first
 rate - Clay soil - Sugar, Beech, W. & B.
 Oak, Lym. Ironw. W. Wood, Buckeye,
 W. & B. Ash, Butternut, B. Walnut, Hickory,
 &c. - Spice & P. Ash - Nov. 30, 1846.

Genl. Description

The surface of this

403

T. 22 N. R. 7 E. 2nd Mer. Indiana:
dis. lks.

Township is level: the soil is first rate
Clay Soil - good farming Land -
Well timbered with Beech, Sugar, Elm,
Ironwood, Gum, W. B. & Blue Ash, Sycamore,
B. Walnut, W. Wood, Locust, Coffeenut,
Mulberry, Hickory. - P. Ash & Spice
Streams are sluggish and
are not weather streams. -

I James H. Mullett do solemnly
swear, that in pursuance of a Contract
with Lucius Lyon Surveyor General of
the United States, for the States of
Ohio, Indiana and Michigan,
and John Mullett Depy. Surveyor
bearing date July 10. 1846, and in strict
conformity to the Laws of the United States,
and the Instructions of the said Sur. General.

I have surveyed & subdivided into Sections
Tract Township N. 22 North, Range 7 East,
in Indiana - And I do further swear
that the foregoing are the true and Original
Field Notes of the said survey & Subdivision,
executed as aforesaid, by me, for the
said John Mullett - Jas. H. Mullett

Depy. Surveyor.

Sworn & subscribed before me this 17th day
of March, 1847.

H. T. Bachus

Justice of the Peace, W. C. Mich.

I Certify that the foregoing Transcript of the
Field Notes of Township N. 22 N. Range N. 7 E.
2nd Mer. Indiana has been compared with
the original, in this Office & found to be correct -
Surveyor General's Office
Liberal Nov. 1. 1849

Lucius Lyon
Sur. Genl.